SEQUENCE LISTING

- <110> COLE Stewart
 GORDON Stéphen
 BUCHRIESER-BROSCH Roland
 BILLAULT Alain
 GARNIER Thierry
- <120> Deleted sequences in M. bovis BCG/M. bovis or M. tuberculosis, method for detecting mycobacteria using said sequences and vaccines.

24

21

20

- <130> D18014
- <150> FR 99 03 250
- <151> 1999-03-16
- <150> PCT/FR00/00637
- <151> 2000-03-16
- <160> 38
- <170> PatentIn Vers. 2.0
- <210> 1
- <211> 24
- <212> DNA
- <213> Mycobacterium tuberculosis
- <220>
- <223> Y277-32F
- <400> 1
- gacatgtacg agagacggca tgag
- <210> 2
- <211> 21
- <212> DNA
- <213> Mycobacterium tuberculosis
- <220>
- <223> Y277-32R
- <400> 2
- aatccaacac gcagcaacca g
- <210> 3
- <211> 20
- <212> DNA
- <213> Mycobacterium tuberculosis
- <220>
- <223> plcC-B.5P
- <400> 3
- ggattcctgg actggcgttg
- <210> 4

| 2 | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----|
| <211> 19 | | |
| <212> DNA | | |
| <213> Mycobacterium tuberculosis | | |
| | | |
| <220> | | |
| <223> plcC-B.3P | | |
| | | |
| <400> 4 | | 19 |
| cccacccaag aaaccgcac | | |
| .010. [| | |
| <210> 5 <211> 20 | | |
| <211> 20 <212> DNA | | |
| <213> Mycobacterium tuberculosis | | |
| 22137 Mycobacterium tuberourosis | | |
| <220> | | |
| <223> Y78-del1 | | |
| (220) 170 4011 | | |
| <400> 5 | | |
| acaaaaatcg cctcgtcgcc | | 20 |
| | | |
| <210> 6 | | |
| <211> 24 | | |
| <212> DNA | | |
| <213> Mycobacterium tuberculosis | | |
| - | | |
| <220> | | |
| <223> Y78-del2 | | |
| | | |
| | | |
| <400> 6 | 24 | |
| <400> 6 aacctgtatt cgtcgttgct gacc | 24 | |
| aacctgtatt cgtcgttgct gacc | 24 | |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7</pre> | 24 | |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20</pre> | 24 | |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA</pre> | 24 | |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20</pre> | 24 | |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis</pre> | 24 | |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220></pre> | 24 | |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis</pre> | 24 | |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F</pre> | 24 | |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F <400> 7</pre> | 24 | 20 |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F</pre> | 24 | 20 |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F <400> 7</pre> | 24 | 20 |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F <400> 7 tggtaatcgt ggccgacaag</pre> | 24 | 20 |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F <400> 7 tggtaatcgt ggccgacaag <210> 8</pre> | 24 | 20 |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F <400> 7 tggtaatcgt ggccgacaag <210> 8 <211> 19 <212> DNA</pre> | 24 | 20 |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F <400> 7 tggtaatcgt ggccgacaag <210> 8 <211> 19</pre> | 24 | 20 |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F <400> 7 tggtaatcgt ggccgacaag <210> 8 <211> 19 <212> DNA <213> Mycobacterium tuberculosis</pre> | 24 | 20 |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F <400> 7 tggtaatcgt ggccgacaag <210> 8 <211> 19 <212> DNA <213> Mycobacterium tuberculosis</pre> | 24 | 20 |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F <400> 7 tggtaatcgt ggccgacaag <210> 8 <211> 19 <212> DNA <213> Mycobacterium tuberculosis</pre> | 24 | 20 |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F <400> 7 tggtaatcgt ggccgacaag <210> 8 <211> 19 <212> DNA <213> Mycobacterium tuberculosis <220><<223> Rv420-flank2.R</pre> | 24 | |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F <400> 7 tggtaatcgt ggccgacaag <210> 8 <211> 19 <212> DNA <213> Mycobacterium tuberculosis <220><223> Rv420-flank2.R</pre> | 24 | 20 |
| <pre>aacctgtatt cgtcgttget gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F <400> 7 tggtaatcgt ggccgacaag <210> 8 <211> 19 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F</pre> | 24 | |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F <400> 7 tggtaatcgt ggccgacaag <210> 8 <211> 19 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F</pre> <pre></pre> <pre></pre> <pre><10> 8 <210> 8 <211> 19 <212> DNA <213> Mycobacterium tuberculosis </pre> <pre><220> <223> RV420-flank2.R</pre> <400> 8 tcttgcggcc caatgaatc <210> 9 | 24 | |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F <400> 7 tggtaatcgt ggccgacaag <210> 8 <211> 19 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank2.R <400> 8 tcttgcggcc caatgaatc <210> 9 <211> 22</pre> | 24 | |
| <pre>aacctgtatt cgtcgttgct gacc <210> 7 <211> 20 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F <400> 7 tggtaatcgt ggccgacaag <210> 8 <211> 19 <212> DNA <213> Mycobacterium tuberculosis <220> <223> Rv420-flank1.F</pre> <pre></pre> <pre></pre> <pre><10> 8 <210> 8 <211> 19 <212> DNA <213> Mycobacterium tuberculosis </pre> <pre><220> <223> RV420-flank2.R</pre> <400> 8 tcttgcggcc caatgaatc <210> 9 | 24 | |

| <220> <223> RD8-ephA.F | | |
|-------------------------------------|----|-----|
| | | |
| <400> 9 ggtgtgattt ggtgagacga tg | | 22 |
| <210> 10 | | |
| <211> 23 | | |
| <212> DNA | | |
| <213> Mycobacterium tuberculosis | | |
| <220> | | |
| <223> RD8-ephA.R | | |
| <400> 10 | | |
| agttcctcct gactaatcca ggc | 23 | |
| <210> 11 | | |
| <211> 19 | | |
| <212> DNA | | |
| <213> Mycobacterium tuberculosis | | |
| <220> | | |
| <223> TB2329.5F | | |
| <400> 11 | | 1.0 |
| tctgcccgtc gtgcgcgaa | | 19 |
| <210> 12 | | |
| <211> 19 | | |
| <212> DNA | | |
| <213> Mycobacterium tuberculosis | | |
| <220> | | |
| <223> TB2332.5R | | |
| <400> 12 | | |
| cagtggctcg gcacgcaca | | 19 |
| <210> 13 | | |
| <211> 22 | | |
| <212> DNA | | |
| <213> Mycobacterium tuberculosis | | |
| <220> | | |
| <223> RD10-264F | | |
| <400> 13 | | |
| tcgcgaaaga ggtcatctaa ac | | 22 |
| <210> 14 | | |
| <211> 20 | | |
| <212> DNA | | |
| <213> Mycobacterium tuberculosis | | |
| <220> | | |
| <223> DR10-267R | | |
| <400> 14 | | |

| | 4 | | |
|---------------|---------------------------|----|----|
| agatgo | tcaa gccgtgcacc | | 20 |
| <210> | 15 | | |
| <211> | 22 | | |
| <212> | | | |
| | Mycobacterium bovis | | |
| \ 2137 | Mycobacterium bovis | | |
| <220> | | | |
| <223> | TBoli2268469.F | | |
| | | | |
| <400> | 15 | | |
| | cacaa acgtactatc tc | | 22 |
| egegee | cacaa acycaccaco co | | |
| .010 | 1.0 | | |
| <210> | | | |
| <211> | 20 | | |
| <212> | DNA | | |
| <213> | Mycobacterium bovis | | |
| | _ | | |
| <220> | | | |
| | TBoli2269064.R | | |
| \2237 | 10011220300111 | | |
| 400 | | | |
| <400> | | | 20 |
| agttt | caccg gctgtcgttc | | 20 |
| | | | |
| <210> | 17 | | |
| <211> | 22 | | |
| <212> | DNA | | |
| | Mycobacterium bovis | | |
| \213/ | Try cobaccer am 20 | | |
| 4000 | | | |
| <220> | | | |
| <223> | Y28-IS6110B.5' | | |
| | | | |
| <400> | 17 | | |
| cccac | accgc aggattggca ag | | 22 |
| | | | |
| <210> | . 18 | | |
| <211> | | | |
| <212> | | | |
| | Mycobacterium bovis | | |
| (213/ | Mycobaccerrum bovis | | |
| | | | |
| <220> | | | |
| <223> | Y28-RHS.2 | | |
| | | | |
| <400> | → 18 | - | |
| atcga | agtgca tgaacgcaac cgag | 24 | |
| _ | | | |
| <210> | > 19 | | |
| <211> | | | |
| | | | |
| | > DNA | | |
| <213> | > Mycobacterium bovis BCG | | |
| | | | |
| <220> | | | |
| <223> | > TB16.0F | | |
| | | | |
| <400> | > 19 | | |
| | caacga tgatgatgac c | | 21 |
| 5-3-0 | | | |
| <210 | > 20 | | |
| | > 10 | | |

| | 5 | |
|--------|------------------------------|----|
| <212> | | |
| <213> | Mycobacterium bovis BCG | |
| <220> | | |
| <223> | TB16.5F | |
| <400> | 20 | |
| ggtcad | eggte [*] ggtgtegte | 19 |
| <210> | 21 | |
| <211> | 20 | |
| <212> | DNA | |
| <213> | Mycobacterium bovis BCG | |
| <220> | | |
| <223> | TB4398.7R | |
| <400> | 21 | |
| cagaad | ctgca ggggtggtac | 20 |
| <210> | 22 | |
| <211> | | |
| <212> | | |
| | Mycobacterium bovis BCG | |
| <220> | | |
| | TB3689.5 | |
| <400> | 22 | |
| | | 21 |
| CLAGLI | tgttc agccgcgtct t | 21 |
| <210> | 23 | |
| <211> | 19 | |
| <212> | DNA | |
| <213> | Mycobacterium bovis BCG | |
| <220> | | |
| | TB3591.0R | |
| <400> | 23 | |
| accggg | ggtgt cggccagtt | 19 |
| <210> | 24 | |
| <211> | | |
| <212> | | |
| | Mycobacterium bovis BCG | |
| <220> | • | |
| | TB3689.9F | |
| <400> | 24 | |
| | | 19 |
| | | |
| <210> | | |
| <211> | | |
| <212> | | |
| <213> | Mycobacterium bovis BCG | |
| <220> | | |

| <223> TB3591.5R | |
|--------------------------------------------|-----|
| <400> 25 ggcgcctatg actgataccc | 20 |
| <210> 26 <211> 19 <212> DNA | |
| <213> Mycobacterium bovis BCG | |
| <220> <223> TB3608.0F | |
| <400> 26 gaacagggtc gcggagtct | 19 |
| <210> 27 | |
| <211> 20 <212> DNA | |
| <213> Mycobacterium bovis BCG | |
| <220> | |
| <223> TB3672.0R | |
| <400> 27 | 20 |
| tcgaggaggt cgagtcctgt | 20 |
| <210> 28 <211> 20 | |
| <212> DNA | |
| <213> Mycobacterium bovis BCG | |
| <220> <223> TB3671.7R | |
| (223) 1B30/1:/K | |
| <400> 28 | |
| gggttcatga ggtgctaggg | 20 |
| <210> 29 | |
| <211> 22 | |
| <212> DNA <213> Mycobacterium bovis BCG | |
| 2213/ Mycobactellum bovis boo | |
| <220> | |
| <223> RvD5-intF | |
| <400> 29 | |
| gggttcacgt tcattactgt tc | 22 |
| <210> 30 <211> 20 | |
| <212> DNA | |
| <213> Mycobacterium bovis BCG | |
| <220> | |
| <223> RvD5-intR | |
| <400> 30 | 0.0 |
| cctgcgctta tctctagcgg | 20 |

| • | |
|-------------------------------|----|
| <210> 31 | |
| <211> 19 | |
| <212> DNA | |
| <213> Mycobacterium bovis BCG | |
| | |
| <220> | |
| <223> TB4411.0F | |
| <400> 31 | |
| ccggccactc actgccttc | 19 |
| ccggccacca accgcccc | |
| <210> 32 | |
| <211> 20 | |
| <212> DNA | |
| <213> Mycobacterium bovis BCG | |
| | |
| <220> | |
| <223> TB0.3R | |
| <400> 32 | |
| acggtagtgt cgtcggcttc | 20 |
| acggragige egeoggeeee | |
| <210> 33 | |
| <211> 21 | |
| <212> DNA | |
| <213> Mycobacterium bovis BCG | |
| | |
| <220> | |
| <223> TB3675.0F | |
| | |
| <400> 33 | 21 |
| ccaacaccgt caactactcg a | |
| <210> 34 | |
| <211> 20 | |
| <212> DNA | |
| <213> Mycobacterium bovis BCG | |
| | |
| <220> | |
| <223> TB3675.5R | |
| .00: 04 | |
| <400> 34 | 20 |
| atcgcagaac tccggcgaca | |
| <210> 35 | |
| <211> 19 | |
| <212> DNA | |
| <213> Mycobacterium bovis BCG | |
| | |
| <220> | |
| <223> TB1.2F | |
| | |
| <400> 35 | 19 |
| cgatctgatc gccgacgcc | Δ. |
| <210> 36 | |
| <211> 36 | |
| <211> 19 <212> DNA | |
| | |
| <213> Mycobacterium bovis BCG | |

| <220> | | |
|--------|-------------------------|----|
| | TB1.5F | |
| | | |
| <400> | 36 | |
| tccgtc | cageg etecaageg | 19 |
| | | |
| <210> | 37 | |
| <211> | 20 | |
| <212> | | |
| <213> | Mycobacterium bovis BCG | |
| | | |
| <220> | | |
| <223> | TB1.8F | |
| | | |
| <400> | 37 | |
| gtccc | caaac tgcacaccct | 20 |
| | | |
| <210> | | |
| <211> | | |
| <212> | | |
| <213> | Mycobacterium bovis BCG | |
| | | |
| <220> | | |
| <223> | TB2.2R | |
| | | |
| <400> | | ٥. |
| aatcc | ggaaa tcgtcagacc g | 2: |